



Zipson Valves UK Limited

电磁阀、防爆电磁阀 3/2 . 5/2 Solenoid Valve, Ex-proof Solenoid Valve



3/2 solenoid valve
3M310-08



5/2 solenoid valve
4M310-08

◆特点 Features

低消耗功率，产品体积小。流量大、外形美观，动作灵敏，可集成安装，耐磨性好，使用寿命长。

Low consumption, compact design, big flow, quick response, long lifecycles.

How to order

For standard.eg: 3M310-08.G1/4.

For Ex-proof.eg: 3M310-08EX G1/4"

Ps:NPT thread is available

BSP thread is available

◆电磁阀规格 Solenoid Specification

| 规格 Model | 项目 Term | 结构类型 Configuration | 接管口径 Ports | 通径 Orifice (mm) |
|-------------|------------|-----------------------|---------------|-----------------------|
| 3M210-08 | | 二位三通 3/2 | G1/4 | 8 |
| 3M310-08 | | | G1/4 | 8 |
| 4M110-06 | | 二位五通 5/2 | G1/8 | 6 |
| 4M120-06 | | | G1/8 | 6 |
| 4M210-08 | | | G1/4 | 8 |
| 4M220-08 | | | G1/4 | 8 |
| 4M310-08 | | | G1/4 | 8 |
| 4M320-08 | | | G1/4 | 8 |
| 4M410-15 | | | G1/2 | 15 |
| 4M420-15 | | | G1/2 | 15 |
| 4M130C-06 | | 三位五通 5/3 | G1/8 | 6 |
| 4M230C-08 | | | G1/4 | 8 |
| 4M330C-08 | | | G1/4 | 8 |

◆技术参数 Technical Parameter


| | | |
|-------------------------------|---|--|
| 容许电压变动范围 Tolerance of voltage | ± 10% | |
| 绝缘等级 Insulation Class | B级、F级、H级 / B Class, F Class, H Class | |
| 励磁时间 Response Time | 0.05秒 / 0.05S | |
| 功率消耗 Power | 交流 AC | 起动：5.6VA 持续：5.4VA / Start: 5.6VA, Holding: 5.4VA |
| | 直流 DC | 4W |
| 过压抑制器 High Voltage Protection | 交流：压敏电阻； 直流：二极管 / AC:Voltage sensitive resistance, DC:Diode | |
| 指示灯 Indicator Led | 氖灯、发光二极管 / Neon, Diode | |
| 工作介质 Media | 空气/ Air | |
| 使用压力范围 Pressure | 0.15~0.9 MPa | |
| 动作方式 Type | 内部先导式/ Pilot | |
| 最大动作频率 Action speed | 5次/秒/ 5 cycles/S | |
| 润滑 Lubrication | 无油/ No need | |
| 使用温度 AmbientTemp. | -5~50 | |

Zipson Valves UK Limited


4M200系列板式电磁阀 4M200 NAMUR SOLENOID VALVE

外形尺寸 Overall Dimension


4M210-06




4M210-08




4M220-06




4M220-08



4M230C-06



4M230C-08




Zipson Valves UK Limited


4M300系列板式电磁阀 4M300 NAMUR SOLENOID VALVE

外形尺寸 Overall Dimension


4M310-08




4M310-10




4M320-08



4M320-10



4M330C-08



4M330C-10

